

# **Purpose**

The SoundGate HONZN4 lets you connect a Zune™ digital media player directly to your factory radio in the Honda/Acura vehicles listed below. The HONZN4 charges your Zune device and allows for control of Zune device functions through the factory radio controls.



#### **Features**

The SoundGate HONZN4 utilizes sophisticated microprocessor control, ultra-reliable surface-mount construction, and advanced software design to flawlessly integrate with Honda/Acura audio systems. Utilized with the included SoundGate CORE™ product, the HONZN4 will enable control of your Microsoft Zune device through the controls of the factory radio.

# The HONZN4 works in the following vehicles:

### **ACURA**

MDX*	2005-2006
RSX (Satellite capable)	2004-2006
TL	2004-2008
TSX*	2004-2008

#### HONDA

HUNDA	
Accord	2003-2009
Civic/Hybrid	2006-2009
CRV*	2005-2006
CRV	2007-2009
Element*	2003-2006
Element	2007-2009
Fit	2007-2009
Odyssey*	2005-2009
Pilot*	2004-2009
Ridgeline	2006-2009
S2000 (Sat capable)	2004-2009

Please visit **www.soundgate.com** for the most current compatibility information.

NOTE: Installing this device in CD mode will allow the vehicle to recognize it as a second CD changer, leaving all other modes unaffected.

If installed in Satellite mode, the factory satellite radio will be replaced.

Simple-fi.™

If you experience problems, call SoundGate Technical Support at 800-256-0808, or email us at support@soundgate.com.

www.soundgate.com

Rev 20081030

<sup>\*</sup> Vehicle must be equipped with satellite capable, double-DIN radio.

# **Before You Begin**



#### **DO NOT DISASSEMBLE OR ALTER**

Doing so may result in an accident, fire, or electric shock.

#### Do not block your view

Do not mount product or any added audio/video equipment where it can block your view through the windshield or block your view of dashboard indicators and displays.

#### Do not block safety devices

Do not mount product or any added audio/video equipment where it can obstruct the operation of any safety device, such as the airbag.

#### **Distraction warning**

Do not allow product or any added audio/video equipment to distract you while you are driving.

#### BEFORE WIRING, DISCONNECT THE CABLE FROM THE NEGATIVE BATTERY TERMINAL

Before starting any installation work, wait 90 seconds after turning the ignition switch to the LOCK position and disconnecting the negative (-) terminal from the battery. The supplemental restraint system (SRS), or airbag(s) is equipped with a backup power source. It installation work is started less than 90 seconds after disconnection of the negative (-) battery terminal, the SRS may deploy. When the negative (-) terminal cable is disconnected from the battery, the clock and audio systems' memory may be erased. Before starting installation work, make a record of the clock and audio systems' memory settings. When installation is complete, reset the clock and audio systems to their previous settings. Power tilt, power telescopic steering column, power seats, power mirrors, power shoulder belt anchorage, and other power accessories may or may not be equipped with a memory function; consider keeping a record of these settings as well.

When installation is complete, readjust the features to their previous settings.

Never use a backup power supply (such as another battery) during installation work in an attempt to avoid losing these memory settings.



#### DO NOT ALLOW CABLES TO BECOME ENTANGLED IN SURROUNDING OBJECTS

Cables or wiring that obstruct or get caught on places such as the steering wheel, shift lever, brake pedals, etc. can be extremely hazardous.

#### DO NOT INSTALL IN LOCATIONS WITH HIGH MOISTURE OR DUST

Moisture or dust may result in product failure.

#### HAVE THE WIRING AND INSTALLATION DONE BY EXPERTS

The wiring and installation of this product requires special technical skills and experience.

#### **USE ONLY SPECIFIED ACCESSORY PARTS**

Use of other than specified parts may damage product internally.

#### FOLLOW THE OPERATIONAL AND INSTALLATION MANUALS.


YOU SHOULD READ AND FAMILIARIZE YOURSELF THOROUGHLY WITH THE FOLLOWING INFORMATION PRIOR TO INSTALLING AND USING THIS UNIT. IN ADDITION, YOU MUST CAREFULLY READ AND FOLLOW THE INSTALLATION SCHEMATICS AND INSTRUCTIONS FOR THE PRODUCT AND THE VEHICLE IN WHICH IT IS BEING INSTALLED. FAILURE TO FOLLOW INSTALLATION INSTRUCTIONS MAY DAMAGE THE PRODUCT AND THE VEHICLE, WILL VOID THE PRODUCT WARRANTY, AND MAY VOID THE VEHICLE WARRANTY.


#### **CHECK YOUR LOCAL LAWS**

Some States/Provinces or other governmental jurisdictions (such as cities) may have laws that prohibit the operation of a video screen within the sight of the driver. If you have purchased such a product, you should use the product only in locations where it is legal to do so, and if you do use the product, set up the screen so it is only visible to passengers.

#### TROUBLESHOOTING

Should this product fail to operate properly, please contact your Dealer or SoundGate Technical Support at 800-256-0808.





Red = Audio Right

White = Audio Left.

Connect these to the audio inputs of the HONZN4 Module.

Installation

#### **BEFORE YOU BEGIN:**

- 1. Turn the ignition off.
- 2. Ensure the factory radio is turned off

#### Installation



# IMPORTANT

The HONZN4 has two emulation modes that are selected by two switches on the circuit board. When both switches are down, the HONZN4 will emulate and replace the factory satellite radio. When switch one is up and switch two is down, the HONZN4 will emulate an additional CD changer. This will allow you to maintain as many of the factory options as possible. Some modes will offer different functionality with your Zune device. Please see the tables on page 7 for details.

Gain access to the factory radio's rear panel. The HONZN4 connects directly to the rear panel of the factory radio. Full or partial disassembly of the dash will be necessary. If you are unsure of this procedure, please consult a factory service manual or have the work performed by a mobile electronics specialist. Pay special attention to warnings or instructions regarding working near airbags, other safety devices, or security systems.

Connect the HONZN4 harnesses to the factory radio. Disconnect the factory cable from the factory radio. Connect the male 14-pin plug of the HONZN4 wiring harness to the factory radio, then replace the vehicle's 14-pin factory plug to the 14-pin female plug of the HONZN4 harness.

STEP 3

**Connect your SoundGate CORE.** The SoundGate CORE will allow you to control the functions of your Zune device through the controls of your

factory radio. Connect the included A/V breakout cable to the **A/V OUT** jack on the SoundGate Core. Plug the left and right RCA audio connectors into the audio inputs of the HONZN4 Module. If you have an aftermarket DVD player or video receiver, plug the yellow composite RCA video connector into the aftermarket device's video input. Connect a 1/8" patch cable from the CORE remote connection to the remote input of the HONZN4.

**Discreet Power Harness Wiring.** Connect the black wire of the power connector (shown on page 4) to a clean, bare-metal chassis ground. When in doubt, measure the resistance between potential grounding points and the vehicle battery using a multimeter. Choose a grounding point with equivalent resistance as other grounded components in the audio system. Connect the red wire to a +12V switched (ignition) power source. This wire requires a 12V, 1.5 Ampere inline fuse. **Note: Make sure that replacement fuses match this specification.** 

Once your SoundGate CORE is connected, use the table on Page 7 to determine what functions of the Zune device are controlled by the factory radio. Please note that the control of the Zune will differ depending upon which radio your vehicle utilizes and whether you have selected to emulate a second CD Changer, or replace Satellite radio. For more information on the CORE and other exciting products offered by SoundGate, please visit **www.soundgate.com**.

Mount all components. Mount the HONZN4 behind or under the dash (mounting hardware not included). Be careful not to drill into wiring or vehicle mechanisms. You are solely responsible for securely fastening the HONZN4 in your vehicle. Make certain that wires and cables cannot be damaged by screws, clips or sharp, exposed pieces of metal.

Ensure that the auxiliary inputs and CORE plug are in a convenient location for connection.

With the HONZN4 passing audio, test the auxiliary input by pressing the appropriate button until you have selected the input source the HONZN4 is emulating/replacing.

Please note that the tables on the following page are a generic control list. Your radio might not support all functions.

#### **Zune Control**

HONDA RADIO CONTROL	CD EMULATION MODE	SAT EMULATION MODE
Preset 6		Zune pad 📤
Preset 5		Zune pad <b>♣</b>
Seek <b></b>	Track 🛨	Track 🛨
Seek <b>▼</b>	Track <b>♣</b>	Track <b>▼</b>
Scan/Rpt	Back	
Random	Enter	
Scan	Play/Pause	Play/Pause
Preset 1		Back
Preset 2		Enter
Disc 🛨	Zune pad 🛨	
Disc <b>▼</b>	Zune pad <b>▼</b>	

#### **Zune Control**

#### ACCORD CD SAT **NAV RADIO EMULATION EMULATION** CONTROL MODE MODE Preset 6 Zune pad 1 Preset 5 Zune pad **♣** Seek 1 Track 1 Track 1 Seek **♣** Track ♣ Track **4** Scan/Rpt Back Random Enter Scan Play/Pause Play/Pause Preset 1 Back Preset 2 Enter Disc 1 Zune pad 1 Disc **♣** Zune pad **♣** Category 1 Zune pad 1 Category -Zune pad **♣** Track 1 Str Wheel CH 1 Track 1 Str Wheel CH -Track **♣** Track **♣** Str Wheel Hold Zune pad 1 Zune pad 1 CH **★** Str Wheel Hold Zune pad **♣** Zune pad **♣** CH ♣

#### **Zune Control**

Lano control		
ODYSSEY NAV RADIO CONTROL	CD EMULATION MODE	SAT EMULATION MODE
Preset 6		Zune pad <b></b> ♣
Preset 5		Zune pad <b>♣</b>
Seek <b></b>	Track 🛨	Zune pad 🛨
Seek <b>▼</b>	Track <b>♣</b>	Zune pad <b>♣</b>
Scan/Rpt	Back	
Random	Enter	
Scan	Play/Pause	Play/Pause
Preset 1		Back
Preset 2		Enter
Disc 🛨	Zune pad 🖈	
Disc <b>♣</b>	Zune pad <b>▼</b>	
Category 1		Zune pad 🛨
Category <b>▼</b>		Zune pad <b>▼</b>
Str Wheel CH 🛨	Track 🛨	Enter
Str Wheel CH ◆	Track <b>▼</b>	Zune pad 🛨
Tuning Knob Right		Track 🛨
Tuning Knob Left		Track <b>♣</b>

# Why SoundGate Dealers have the edge...

The technologies used in today's vehicles are as sophisticated as any laptop computer. At SoundGate we believe these new technologies are full of opportunities for mobile electronic dealers across the nation. We make it a high priority to not only research these new systems, but to understand them and their impact on the aftermarket car audio industry. Armed with this knowledge, we are well equipped to help you integrate new components into these systems with our innovative. high-performance interfaces and unparalleled technical support.

# Simple-fi.™

# Be sure to ask your autosound specialist about these other exciting SoundGate products...

- Auxiliary Input Interfaces and Docking Stations which allow you to input audio from MP3 Players, DVD/Video, Satellite Radio, and more to OEM and aftermarket car audio systems
- High-performance Radio Replacement
- Interfaces for seamlessly integrating new receivers or CD players into OEM audio systems
- Competition-Grade Interfaces for adding amplifiers
- Remote Audio Control Interfaces that let you control aftermarket receivers and CD players from your factory rear seat, or steeringwheel mounted audio controls.
- And many others!

# www.soundgate.com

Zune<sup>™</sup> and the Zune<sup>™</sup> logo are trademarks of the Microsoft group of companies.

Copyright© 2004-2008 SoundGate®. All Rights Reserved. SoundGate® is a registered trademark of Stillwater Designs, Inc. All other trademarks are the property of their respective owners.